





raceTi

m4 std



m4
reduced



m5 std



m5
reduced



m6 std



m6
reduced



Japanese Brand Cast Quality

TOYO Began in 1945, More Than Half a Century of Quality Precipitation



High-Quality
Material



Durable



Seiko Quality




Efficient Work


TOYO® Structure



Gearbox And Cover Resistant To
External Impact

















High-Strength Load Chain
(Strength 1000N/mm²)



Hand-Drawn Chain Material
Selection With Excellent Corro-
sion Resistance



Hooks With Large Inner Diame-
ter And Hooks For Preventing
Falling Off (Common For Hooks)

	Flat Washer		Nord-Lock Washer
	Spring Washer		Cup Washer
	Internal Tooth Washer		Contact Washer
	External Tooth Washer		Wave Washer
	Overlap Washer Internal		Curved Washer
	Overlap Washer External		Serrated Locked Washer For Flat Hd Screw
	Two Tongue Washer		Contact Washer with Pilot Point



Flat



Split Lock



Tooth Lock



Wedge Lock



Self-Aligning



Square



Clipped




Spring



Wave



Cushioning and
Vibration Damping



Pressure-Sealing



Sleeve



Terminal Cup



Vented



Washers for
Blind Rivets



Washers with
Tag Hole



Washers for
Square-Neck Bolts



Washers for Foam
Insulation and Plaster





3.2mm x 350mm

5-KG











8 Gauge











FLANGES ASTM A182, A105 ; ASME B16.5 Sales@spipefittings.com



WNRF



SORF



BLRF



ORIFICE



LAPJOINT

BUTTWELD FITTINGS ASTM A403, A234, A815, A622; ASME B16.9



BEND



TEE



REDUCER



STUBEND



END CAP

SOCKETWELD FITTINGS ASTM A182, A105; ASME B16.11



ELBOW



TEE



COUPLING



HEX UNION



SOCKOLET

THREADED FITTINGS ASTM A182, A105; ASME B16.11



ELBOW



TEE



HEX PLUG



HEX NIPPLE



ELBOLET

DAIRY FITTINGS ASME BPE

MO.9167277557



DAIRY BEND



DAIRY TEE



REDUCER



TC CLAMP



SMS UNION







CNMG-PM

B9



CNMM-OR

B9



CNMG

B10



CNMM

B10



CNMA

B11



DNMG-OF

B11



DNMM-OR

B13



DNMG

B13



DNCA DNMA

B14



SNMG-OF

B14



SNMG-DM

B15



SNMG-PM

B16



SNMM

B17



SNUN SNON

B18



SNMA SNCA

B19



SNMM-31

B19



SNMX-51


B20



TNMG-OF

B20























Elbow
Fig No.90
1/8" - 6"



Reducing Elbow
Fig No.90R
3/8" - 4"



M&F Elbow
Fig No.92
1/4" - 4"



Bushing
Fig No.241
1/8" - 6"



Tee
Fig No.130
1/8" - 6"



Reducing Tee
Fig No.130R
3/8" - 4"



Socket
Fig No.220
1/8" - 6"



M&F Socket
Fig No.529
1/2" - 2"



Reducing Socket
Fig No.240
1/4" - 4"



Beaded plugs
Fig No.290
1/4" - 6"



Plain plugs
Fig No.291
1/4" - 4"



Hexagon Nipple
Fig No.280
1/4" - 6"







Fig.1



Fig.2



Fig.280



Fig.245



Fig.40



Fig.41



Fig.85



Fig.241



Fig.90



Fig.90R



Fig.92



Fig.92R



Fig.90U



Fig.330



Fig.LCC



Fig.SCC



Fig.95



Fig.97



Fig.300



Fig.301



Fig.120



Fig.310



Fig.321



Fig.329



Hexagon Head Bolt



Square Head Bolt



Hexagon Head Set Screw



Countersunk Head Bolt



Hexagon Socket Head Cap Screw



Cap Head Square Neck Bolt (Carriage Bolt)



Stud Bolt



Continuous Thread Stud (All Thread Rod)



Eye Bolt



Eye Bolt



Wing Bolt



Knob Bolt



Hexagon Nut



Hexagon Slotted Nut



Hexagon Castellated Nut



Square Nut



Plate Nut



Pipe Nut



Long Nut



Hexagon Cap Nut



Wing Nut



Square Weld Nut



Hexagon Weld Nut



Hexagon Flange Nut



Eye Nut



Square Set Screw



Slotted Set Screw



Hexagon Socket Set Screw



Hexagon Socket Headless Tapered Pipe Plug



Thumb Screw

				
1/13	1a/1a	2/15	2a/2a	3/14
				
40/22	41/20	85/85	90/6	92/7
				
94/94	95/9	96/10	97/11	98/12
				
120/5	130/25	131/31	135/135	165/30
				
180/34	220/220	221/33	240/3	241/45
				
245/40	246/246	270/2	271/1	280/38
				
281/39	290/46	291/47	300/43	301/301
				
310/44	321/63	326/326	330/48	331/59
				
340/54	341/60	370/49	371/50	372/51